CARBOHYDRATE RESEARCH, VOL. 196 (1990)

AUTHOR INDEX

ALTON, G., 133

BOULENGUER, P., 198
BUNDLE, D. R., 156

CHIBA, T., 1
CUTLER, A. B., 41
CZYZEWSKA, E., 184

DESHPANDE, P. P., 49
DILL, K., 141
DOMENICK, R. L., 19

FAILLARD, H., 29
FOURNET, B., 198
FUJITA, M., 59

GAO, Q.-P., 111
GOOD, A. H., 133
GROCHOWSKI, E., 184

HASEGAWA, A., 59
HENDRICKS, C. A. V., 49
HINDSGAUL, O., 133
HIROI, T., 175
HU, S., 141

IMAI, K., 1
IMOTO, M., 147
ISHII, T., 175
ISHIDA, H., 59

JANN, B., 101
JANN, K., 101

KANE, S. A., 41
KISO, M., 59
KIYOHARA, H., 111
KLAIĆ, B., 19
KONDO, S., 191
KRASKA, B., 147
KUNZ, H., 75
KUSUMOTO, S., 147

LAMONTAGNE, L. R., 133
LEROY, Y., 198

MARIA ALONSO, J., 198
MARIO PINTO, B., 156
MARTIN, O. R., 41
MÄRZ, J., 75
MCGOWAN, E. L., 141
MOLL, H., 147
MONTREUIL, J., 198
MORISSETTE, D. G., 156
MYSZKA, H., 167

NASHED, E. M., 184

O'CONNOR, R. J., 141
OGAWA, Y., 59
ORFORD, P. D., 11
OSHIMA, M., 1
OXLEY, D., 127

PALCIC, M. M., 133
PARKER, R., 11
PRESTEGARD, J. H., 206

RAO, S. P., 41
RATCLIFFE, R. M., 133
RAY, A. K., 95
REIMER, K. B., 156
RIETSCHEL, E. TH., 147
RING, S. G., 11
RODRIGUEZ, M.-L., 101
ROTHERMEL, J., 29
ROY, N., 95

SMIATACZ, Z., 167

TEZUKA, Y., 1
THOMSON, D. S., 206

WALDMANN, H., 75
WIERUSZESKI, J.-M., 198
WILKINSON, S. G., 127

YAMADA, H., 111

ZÄHRINGER, U., 147, 191

CARBOHYDRATE RESEARCH, VOL. 196 (1990)

SUBJECT INDEX

2-Acetamido-2-deoxy-D-glucitol phosphates, g.l.c.–m.s. analysis of methylated, 147
2-Acetamido-2-deoxyglucosylasparagine glycotripeptides and -pentapeptides, synthesis of, by selective C- and N-terminal elongation of the peptide chain, 75
2-Acetamido-3-*O*-(3-acetamido-3,6-dideoxy-β-D-glucopyranosyl)-2-deoxy-D-galactopyranose isolated after degradation of the lipopolysaccharide from *Vibrio parahaemolyticus*, identification of, 191
N-acetylneuraminic acid, preparation of deuterium-labelled methyl glycosides of, 206
N-Acetylneuraminic acid, synthesis of aryl α-ketosides of, 29
1-*O*-Aminosugars: a new class of monosaccharides, 184
Antigen of *Serratia marcescens* serogroup O23, structure of the putative, 127
Arenes, *C*-glucosyl-, synthesis of, 41
C-Arylation, "internal", of pyranose sugars, 41
Asparaginyl–*N*-acetylglucosamine linkage, degraded oligosaccharides produced by alkaline hydrolysis of, 198
Aspects of the glass transition behaviour of mixtures of carbohydrates of low molecular weight, 11

Bamboo shoot cell-walls, isolation and characterization of feruloylated arabinoxylan oligosaccharides from, 175

Capsular K11 antigen of *Escherichia coli* O13:K11:H11, structure and serological properties of the, 101
Carbohydrates of low molecular weight, aspects of the glass transition behaviour of mixtures of, 11
Cellulose ethers by ^{13}C- and ^{1}H-n.m.r. studies of their acetylated derivatives *O*-(2-hydroxypropyl)cellulose, determination of substituent distribution in, 1

Determination of substituent distribution in cellulose ethers by ^{13}C- and ^{1}H-n.m.r. studies of their acetylated derivatives: *O*-(2-hydroxypropyl)cellulose, 1
Deuterium-labelled methyl glycosides of *N*-acetylneuraminic acid, preparation of, 206

O-(3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-D-*erythro*-pentopyranosyl)-*N*-tosyl-L-serine, -L-threonine, and -L-tyrosine, synthesis, structure, and chemical transformation of methyl esters of, 167

Escherichia coli O13:K11:H11, structure and serological properties of the capsular K11 antigen of, 101
Enzyme-linked immunosorbent assay for the measurement of Lewis blood-group α-(1→4)-fucosyltransferase activity, 133

α-(1→4)-Fucosyltransferase activity, an enzyme-linked immunosorbent assay for the measurement of Lewis blood-group, 133

Glass transition behaviour of mixtures of carbohydrates of low molecular weight, aspects of the, 11
G.l.c.–m.s. analysis of methylated 2-acetamido-2-deoxy-D-glucitol phosphates, 147
C-Glycosylarenes, synthesis of, 41
Glyco-tripeptides and -pentapeptides, synthesis of 2-acetamido-2-deoxyglucosylasparagine, by selective C- and N-terminal elongation of the peptide chain, 75

Heteroglycans from the leaves of *Panax ginseng* C. A. Meyer, structural studies of anti-complementary acidic, 111

Identification of 2-acetamido-3-*O*-(3-acetamido-3,6-dideoxy-β-D-glucopyranosyl)-2-deoxy-D-galactopyranose isolated after degradation of the lipopolysaccharide from *Vibrio parahaemolyticus*, 191
Immunoadjuvant peptidoglycan monomer in solution in methyl sulfoxide, proposed structure of a natural, based on ^{1}H-n.m.r. studies, 19
Isolation and characterization of feruloylated arabinoxylan oligosaccharides from bamboo shoot cell-walls, 175

α-Kdo-(2→4)-Kdo, protected derivatives, synthesis and conjugation with the lipid A subunit-analog GLA-60, 59

Lewis blood-group α-(1→4)-fucosyltransferase activity, an enzyme-linked immunosorbent assay for the measurement of, 133
GLA-60 (Lipid A subunit-analog), conjugates of α-Kdo-(2→4)-Kdo with, synthesis in protected form, 59
Lipid A subunit-analog GLA-60, conjugates of α-Kdo-(2→4)-Kdo with, synthesis in protected form, 59
Lipopolysaccharide from *Vibrio parahaemolyticus* identification of 2-acetamido-3-*O*-(3-acetamido-3,6-dideoxy-β-D-glucopyranosyl)-2-deoxy-D-galactopyranose isolated after degradation of the, 191

Methylated 2-acetamido-2-deoxy-D-glucitol phosphates, g.l.c.–m.s. analysis of, 147
2-Methylfluoran-6-yl glycoside of *N*-acetylneuraminic acid, synthesis of, 29
Monosaccharides, 1-*O*-aminosugars: a new class of, 184

Neuraminidase assay, synthesis of new substrate for, 29
^{1}H-N.m.r. studies of a natural immunoadjuvant peptidoglycan monomer: proposed structure in solution in methyl sulfoxide, 19

2-Octulosonic acid, 3-deoxy-D-*manno*-, see Kdo, 59
Oligosaccharides from bamboo shoot cell-walls, isolation and characterization of, feruloylated arabinoxylan, 175
Ovomucoid, quail, characterization of degraded oligosaccharides from, 198

Panax ginseng C. A. Meyer, structural studies of anti-complementary acidic heteroglycans from the leaves of, 111
Pentasaccharide glycoside of the biological repeating units of *Shigella flexneri* variant Y polysaccharide and the preparation of a synthetic antigen, synthesis and 2D-n.m.r. analysis of a, 156
Phenyldichloroarsine–thio sugar adducts, preparation, structure, and solution dynamics of, 141
Polysaccharide from *Klebsiella* type 23, synthesis of the tetrasaccharide repeating-unit of the, 95
Preparation of deuterium-labelled methyl glycosides of *N*-acetylneuraminic acid, 206
Preparation, structure, and solution dynamics of phenyldichloroarsine–thio sugar adducts, 141

Quail ovomucoid, characterization of degraded oligosaccharides from, 198

L-Serine, L-threonine, and L-tyrosine, methyl esters, synthesis, structure, and chemical transformation of *O*-(3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-D-*erythro*-pentopyranosyl)-*N*-tosyl derivatives of, 167
Serratia marcescens, structure of the putative O23 antigen of, 127
Shigella flexneri variant Y polysaccharide and the preparation of a synthetic antigen, synthesis and 2D-n.m.r., analysis of a pentasaccharide glycoside of the biological repeating units of, 156
Sialidase assay, synthesis of new substrate for, 29
Structural studies of anti-complementary acidic heteroglycans from the leaves of *Panax ginseng* C. A. Meyer, 111
Structure and serological properties of the capsular K11 antigen of *Escherichia coli* O13:K11:H11, 101
Structure of a natural immunoadjuvant peptidoglycan monomer in solution in methyl sulfoxide, ^{1}H-n.m.r. studies and proposed, 19
Structure of the putative O23 antigen of *Serratia marcescens*, 127
Substituent distribution in cellulose ethers by ^{13}C- and ^{1}H-n.m.r. studies of their acetylated derivatives: *O*-(2-hydroxypropyl)cellulose, determination of, 1
Synthesis and 2D-n.m.r. analysis of a pentasaccharide glycoside of the biological repeating units of *Shigella flexneri* variant Y polysaccharide and the preparation of a synthetic antigen, 156
Synthesis of 2-acetamido-2-deoxyglucosylasparagine glyco-tripeptides and -pentapeptides by selective C- and N-terminal elongation of the peptide chain, 75
Synthesis of the tetrasaccharide repeating-unit of the polysaccharide from *Klebsiella* type 23, 95
Synthesis, structure, and chemical transformation of methyl esters of *O*-(3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino-D-*erythro*-pentopyranosyl)-*N*-tosyl-L-serine, -L-threonine, and -L-tyrosine, 167

Tetrasaccharide repeating-unit of the polysaccharide from *Klebsiella* type 23, synthesis of the, 95
Thio sugar adducts, preparation, structure, and solution dynamics of phenyldichloroarsine, 141